

AIR LOGISTICS CORPORATION - F.A.C.S. Group

925 North Todd Avenue • Azusa, California 91702 USA Phone (626) 633-0294 Fax (626) 633-0791

SAFETY DATA SHEET

PowerSleeve[™] W-11 Glass Woven Fabric

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PowerSleeveTM W-11 Glass Woven Fabric

MFR'S NAME: Air Logistics Corporation, 925 North Todd Avenue, Azusa CA 91702

EMERGENCY PHONE: 800.424.9300 (CHEMTREC) GENERAL INFORMATION: 626.633.0294

USE OF THE SUBSTANCE: Standard fiberglass fabric used with PowerSleeve Resin[™] systems to repair piping

and other infrastructure which requires leak protection or an epoxy resin matrix.

SECTION 2: HAZARDS IDENTIFICATION

OSHA/HCS status: Not considered hazardous. However, proper handling measures are important to

observe and are covered herein.

GHS Label Elements:





Signal Word: Warning!

Hazard Statements and GHS Classifications:

H316 Causes mild, mechanical skin irritation.
 H320 (May) cause mechanical eye irritation (dust).
 H335 May cause mechanical respiratory irritation (dust).
 Not Categorized
 Not Categorized

Precautionary Statements:

Prevention: P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P280: Wear protective clothing, gloves and eye protection.

Responses: P301+P313+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek

medical attention if irritation occurs and persists.

P302+P352+P333+P313: IF ON SKIN: Rinse skin with water/shower and wash with plenty of soap and water. If skin irritation or rash occurs, get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists, get medical attention.

P391: Collect spillage.

Storage: P403+P233: Store in a well-ventilated place. Keep containers tightly closed.

Disposal: P501: Dispose of contents and containers in accordance with all local, regional and

international regulations.

Other Hazards: None known. Exposure may aggravate pre-existing skin, eye, or respiratory conditions.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Substance.

CHEMICAL NAMECAS NUMBERCONTENTPolyester Yarn25038-59-90-5%SizingN/A0-5%Polyester Veil25038-59-90-20%Fiber Glass, continuous filament, non-respirable65997-17-380-100%

Occupational Exposure Limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES

Description of necessary first aid measures:

General Get medical attention immediately for any person who is having trouble or not

breathing, or any unconscious person. Provide oxygen or artificial respiration to a person if they have trouble breathing. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Place an unconscious person in a recovery

position, maintain an open airway and loosen tight clothing.

Inhalation Remove victim to fresh air and keep warm and at rest in a position comfortable for

breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

Skin Contact Remove contaminated clothing and shoes. Wash the affected area with plenty of soap

and water. Launder clothing before reuse. Get medical attention if irritation persists.

Eye Contact Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids and

rolling eyes in a circular motion. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes, or longer if there is any indication that material remains in

the eye. Get medical attention if irritation persists.

Ingestion Wash out mouth with water. Remove dentures, if any. Remove victim to fresh air and

keep at rest in a position comfortable for breathing. DO NOT induce vomiting. Get

medical attention if irritation occurs or persists.

Most Important Symptoms/Effects, Acute and Long -Term:

Potential Acute Health Effects:

Inhalation Dust in high concentrations may irritate respiratory system. Exposure to decomposition

products may cause a health hazard. Serious effects may be delayed after exposure. Harmful if inhaled in high airborne concentrations. Persons with sensitive airways (e.g.,

asthmatics) may react to dust.

Skin Contact May cause skin irritation. May cause an allergic skin irritation or aggravate existing

conditions through prolonged/repeated contact.

Eye Contact Irritating and may cause redness and pain.

Ingestion May cause discomfort if swallowed.

Overexposure Signs/Symptoms:

Inhalation Mechanical irritation of nasal passages, mouth and throat.

Skin Contact Adverse symptoms may include the following: Irritation and/or Redness.

Eye Contact Adverse symptoms may include the following: Pain or Irritation. Watering. Redness.

SDS: PS W-11 GLASS FABRIC
AIR LOGISTICS CORPORATION

Page 2 of 6

ISSUE DATE: 11.19.18
REVISION: 2

Ingestion No specific data.

<u>Indication of Immediate Medical Attention and/or Special Treatment needed:</u>

Notes to Physician Treat symptomatically.

Specific Treatments No specific treatment(s).

See also Toxicological Information in Section 11.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media Dry chemicals, foam, water spray or carbon dioxide.

Unsuitable Media None known, consider presence of other materials.

Specific Hazards Material is not considered a fire or explosion hazard AND will not burn. Material may

smoke due to sizing and polyester content.

National Fire Protection Association (USA):

Labeling: Not rated.

Hazardous Thermal Decomposition Products

Irritating or toxic substances may be emitted upon burning or decomposition. See **Section 10** for additional information.

Special Protective Actions for Fire Fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special Protective Equipment for Fire Fighters

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode during the attack phase of firefighting operations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Keep unauthorized persons away. Provide adequate ventilation and avoid breathing dust. Put on appropriate personal protective equipment (see **Section 8**). If spilled in an enclosed area, ventilate area or use SCBA.

Environmental Precautions

No special precautions are necessary.

Methods and Materials for Containment and Cleaning Up (Small or Large Spill)

Dust particles will settle out of the air. Vacuum area to remove particles. Pick up larger pieces and dispose of as solid waste in accordance with local, state or national regulations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling/Personal Hygiene

Use appropriate personal protective equipment as per **Section 8**. Keep in the original container or an approved alternative; keep containers closed when not in use. Do not reuse containers without cleaning carefully with soap and water.

Avoid creating dust. Eating, drinking and/or smoking should be prohibited where this material is being used. Workers should remove contaminated clothing/protective equipment and wash hands and face and before entering eating areas and eating, drinking and/or smoking.

Conditions for Safe Storage, including any Incompatibilities

Store in sealed original containers, or approved alternatives, when not in use in a dry, well-ventilated area. Protect containers from direct sunlight in a dry, cool and well ventilated area around 25° C (~77°F) and 65% relative humidity for best performance.

SDS: PS W-11 GLASS FABRIC
AIR LOGISTICS CORPORATION

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits:

CHEMICAL NAME	<u>CAS NUMBER</u>	ACGIH TWA	<u>NIOSH REL</u> (TWA)
Fiber Glass (if respirable)	65997-17-3	5mg/m ³	10 mg/m ³
Polyester	25038-59-9	Not Established	Not Established

Appropriate Engineering Controls

Good general ventilation should be sufficient to control worker exposure to any airborne contaminants. If working in enclosed spaces, provide additional local ventilation. Eyewash fountains and safety showers are recommended, as well as good laboratory procedures and care.

Exposure controls

Respiratory Protection

If necessary, a properly-fitted vapor mask/respirator complying with an approved standard (NIOSH N95) should be used.

Hand Protection

Chemical-resistant (impervious) gloves (such as nitrile rubber of .35mm thickness or similar) should be worn when handling this material. Contaminated gloves should be disposed of properly.

Body Protection

Long-sleeved shirts and long pants or lab coats are recommended. Contaminated clothing should be washed separately from other clothes before reuse. Footwear appropriate for the work being performed should be worn and cleaned carefully if contaminated, before reuse.

Eye/Face Protection

Safety eyewear and face shields appropriate for the work being performed should be used. Ordinarily, this means a minimum of safety eyewear or splash goggles.

General

Use good laboratory/workplace procedures. Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES					
Physical State:	Solid	Color:	Off-white		
Odor:	None	Odor Threshold:	N/A		
рН	N/A	Melting Point:	Glass: >800°C Polyester:		
			~275°C		
Boiling Point:	N/A	Flash Point:	N/A		
Evaporation Rate:	N/A	Vapor	N/A		
		Pressure/Density:			
Relative Density	N/A	Viscosity:	N/A		
Auto-Ignition Temp.	N/A	Decomposition Temp.	N/A		
Upper/Lower Flammability or Explosive Limits N/A					
Solubility: Insoluble.	·		·		
VOC Content: None.					

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: This product is stable under normal conditions.

Possibility of Hazardous Reactions: N/A

SDS: PS W-11 GLASS FABRIC Page 4 of 6 ISSUE DATE: 11.19.18 REVISION: 2

AIR LOGISTICS CORPORATION

Conditions to Avoid: Avoid excessive heat for prolonged periods, sunlight.

Incompatible Materials: N/A

Hazardous Decomposition Products: Thermal decomposition may produce smoke, small traces of oxides of carbon and nitrogen, and other products of incomplete combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

There are no known health effects from the long-term use or contact with non-respirable, continuous filament glass fibers as manufactured and as directed for use in this application.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:

No known effects.

Persistence and Degradability:

CHEMICAL NAME OECD Derived from OECD 301F (Biodegradation Test)-28 Days

All components Not tested, but expected to be low based on similar substances.

Bioaccumulative Potential:

No information is available.

Mobility in Soil: Soil/Water Partition Coefficient (K_{oc})

All Chemicals: No information available.

Other Adverse Effects/Information: No other information is available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of unused contents (incineration) as solid waste in accordance with national and local regulations.

SECTION 14: TRANSPORTATION INFORMATION

UN No's: N/A-not regulated

DOT/TDG/UN Proper Shipping Name: None assigned (non-regulated)

Hazard Classes: N/A-not regulated.Hazard Labels: N/A-not regulated.Pack Groups: N/A-not regulated.

Environmental Hazards: Marine Pollutant: No. Hazardous Substance (USA): No.

Special Precautions for User: No information is available.

Transporting in Bulk per Annex II of MARPOL73/78 and IBC: No information is available.

Label for Conveyance: N/A-not regulated.

SECTION 15: REGULATORY INFORMATION

International and US Inventory Lists

Canada Inventory (DSL)	All components listed or exempt	EU-ELINCS	All components
			listed or exempt.
Canada Inventory (NDSL)	All components listed or exempt	EU-EINECS	All components
			listed or exempt.
US Toxic Substances	All components listed or	REACH, Annex XIV	All components
Control Act (TSCA)	exempt.	and Annex XVII	listed or exempt.

Substances of Very High Concern: N/A-none.

SDS: PS W-11 GLASS FABRIC Page 5 of 6 ISSUE DATE: 11.19.18
AIR LOGISTICS CORPORATION REVISION: 2

SARA: Section 311/312: No hazards noted. Section 313: Hazardous if respirable.

OSHA: 29 CFR 1910.1200: Considered hazardous if respirable.

WHMIS: No information available.

HMIS Ratings: Health: 1 Flammability: 0 Physical Hazard: 0

Personal Protection: X

Other Information: N/A

SECTION 16: OTHER INFORMATION

ABBREVIATIONS:

ACGIH: American Conference of Governmental Industrial Hygienists ADR/RID: European dangerous goods transport, road and rail, regulations

CAS: Chemical Abstract Service Registry DOT: Department of Transportation (U.S.)

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code

OEL: Occupational Exposure Limits

OSHA: Occupational Safety and Health Administration (U.S.)

PEL: Permissible Exposure Limit

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit (15 minute Time Weighted Average) TDG: Canadian Transportation of Dangerous Goods Act and Regulations

TPQ: Threshold Planning Quantity

RQ: Reportable Quantity UN: United Nations U.S.: United States

N/A: Not available or not applicable.

Revision Date: 16 February 2018

Revision: 2

Reason for Revision: Received updated manufacturer's SDS

Notice:

The information contained herein is provided is correct to the best of our knowledge, information and belief at the date of publication. However, Air Logistics Corporation (ALC) makes no representation as to its completeness and accuracy. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. This information is not to be considered a warranty or quality specification. Since the conditions of handling and use are beyond ALC's control, we make no guarantee of results and assume no liability for damages incurred by use of this material. This information relates only to the specific material designated and may not be valid if used in combination with any other materials or in any process not specified in the text. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

END OF SDS

SDS: PS W-11 GLASS FABRIC
AIR LOGISTICS CORPORATION

Page 6 of 6

ISSUE DATE: 11.19.18
REVISION: 2